

Contents

| Mantis® Qualis LED Insect Light Trap | 4 - 5 |
|---|---------|
| Mantis® Sirius X LED Insect Light Trap | 6 - 7 |
| On Top Pro LED Insect Light Trap | 8-9 |
| EXG LED Insect Light Trap | 10- 11 |
| Mantis [®] Qualis IP LED Insect Light Trap | 12 - 13 |
| FlyDetect - IPM Online Monitoring System | 16 - 17 |
| Insect Light Traps (Glue Board Systems) | 18 - 27 |
| Electronic Flying Insect Management Systems (Electrocutors) | 28 - 32 |
| Specialty Flying Insect Management Systems | 33 - 37 |
| Replacement Glue Boards | 38 - 41 |
| Full Line of Replacement UVA Lamps | 42 - 44 |
| Mad Hatter [®] Lamp Recycling Program | 45 - 46 |
| Bio-Gel® Cleaning Products | 47 - 55 |
| Inspection and Assessment Tools | 56 - 60 |
| Parts and Accessories | 61 |



About Us

Supporting you with a comprehensive range of professional flying insect management systems.

PestWest products are a significant part of several Leadership in Environmental and Energy Design (LEED) accreditation programs. Contact us for details.

It isn't magic that brings excellence to a company; excellence is the result of commitment and hard work by dedicated and experienced people.

Whether we're talking about products or processes, no wizardry or easy formulas will solve the challenges of tomorrow; our people will.

PestWest cares about its employees and customers and understand that both are the foundation of our success.

We appreciate your continued support!



ALL PESTWEST FLYING INSECT SYSTEMS INCLUDE A 3-YEAR WARRANTY (EXCLUDES LAMPS AND GLUE BOARDS).

TO ORDER YOUR PESTWEST PRODUCTS ONLINE:

ordering.pestwest.com

PestWest is the only insect light trap manufacturer to offer the exclusive Mad Hatter® Lamp Recycling Box Program. RECYCLING MADE EASY! See pages 45 - 46.







LED INSECT LIGHT TRAP

864 Filament LEDs

9X more than common LED insect light traps (up to 90 LEDs)

360° UV Projection

Compared to other restricted & harsh 120° - 180° LED beams





QUANTUM® X LED Lamp Technology **360°** UV BEAM

- Lowest power consumption: 35% lower than other LED insect light traps
- ① Less lamp replacement: LEDs require replacement only once every 3 years
- ☐ Specially formulated glue board: Ensures a superior capture with a 12% larger adhesive area versus Classic & Universal glue boards
- Full metal construction: UV resistant and long lasting for reliable service
- **HACCP Compliant**

DIMENSIONS

H: 11.8" W: 22.6" D: 1.6" H: 30 cm W: 57.5 cm D: 4 cm

WEIGHT

7.9 lb (3.6 kg)

COVERAGE

970-1290 ft2 / 90-120 m2 - Wall mounted

FINISH

White Coated Zintec Steel Product code: 125-000502

Stainless Steel

Product code: 125-000516

SHIPPING INFORMATION

Each Shipping weight: 9.7 lb (4.4 kg)

REPLACEMENT PARTS

130-000321 Shatter-Resistant Quantum X LED lamps

13 w 21" T5 - Qty: 2

135-000226 Unique matrix gray glue board

(Replace only with this LED glue board for optimal performance)

Qty required 1 / Sold separately in packs of 6



Quantum XSCAN FOR VIDEO







LED INSECT LIGHT TRAP

864 Filament LEDs

9X more than common LED insect light traps (up to 90 LEDs)

360° UV Projection

Compared to other restricted & harsh 120° - 180° LED beams





The Mantis® Sirius X represents the next generation in flying insect control, designed for sophisticated front-of-house applications. Building on the sleek and modern design of the Mantis® Sirius, it effortlessly integrates into the décor of any restaurant, café, or hotel.







QUANTUM® X LED Lamp Technology **360°** UV BEAM

- Less lamp replacement: LEDs require replacement only once every 3 years
- Specially formulated glue board: Ensures a superior capture with a
 12% larger adhesive area versus Classic & Universal glue boards
- Full metal construction: UV resistant and long lasting for reliable service
- **⊘** HACCP Compliant

DIMENSIONS

H: 7.4" W: 22.8" D: 4.7" H: 19 cm W: 58 cm D: 12 cm

WEIGHT

6.8 lb (3.1 kg)

COVERAGE

970-1290 ft² / 50-60 m² - Wall mounted

FINISH

White Coated Zintec Steel Product code: 125-000513

Stainless Steel

Product code: 125-000514

SHIPPING INFORMATION

Each Shipping weight: 9 lb (4.1Kg)

REPLACEMENT PARTS

130-000321 Shatter-Resistant Quantum X LED lamps

13w 21" T5 - Qty: 2

135-000226 Unique matrix gray glue board

(Replace only with this LED glue board for optimal performance)

Qty required 1 / Sold separately in packs of 6



Sirius X
SCAN FOR VIDEO





LED INSECT LIGHT TRAP

864 Filament LEDs

9X more than common LED insect light traps (up to 90 LEDs)

360° UV Projection

Compared to other restricted & harsh 120° - 180° LED beams







Head and shoulders above any insect light trap. Innovative and discreet, the unique overhead design fits easily into new or existing suspended ceilings.







QUANTUM® X LED Lamp Technology

360° UV BEAM

- # Fits snugly into a 24" x 24" ceiling tile. A 24" Cross-T is included to convert any 48" ceiling tile into a 24" ceiling tile.
- **↓ Consumes 35% less power than obselete LED fly traps**
- Less lamp replacement: LEDs require replacement only once every 3 years
- Specially formulated glue board: Ensures a superior capture with a 12% larger adhesive area versus Classic & Universal glue boards
- Full metal construction: UV resistant and long lasting for reliable service
- **HACCP Compliant**

DIMENSIONS

H: 23.2" W: 23.2" D: 2.8" H: 59 cm W: 59 cm D: 7 cm

WEIGHT

12.3 lb (5.6 kg)

COVERAGE

970-1290 ft² / 90-120 m² - Wall mounted

FINISH

Stainless Steel Product code: 125-000525

SHIPPING INFORMATION

Each Shipping weight: 13lb (6kg)

REPLACEMENT PARTS

130-000321 Shatter-Resistant Quantum X LED lamps

13w 21" T5 - Qty: 2

135-000226 Unique matrix gray glue board

(Replace only with this LED glue board for optimal performance)

Qty required 1 / Sold separately in packs of 6



Quantum X SCAN FOR VIDEO





LED INSECT LIGHT TRAP


864 Filament LEDs

9X more than common LED insect light traps (up to 90 LEDs)

360° UV Projection

Compared to other restricted & harsh 120° - 180° LED beams











QUANTUM® X LED Lamp Technology **360°** UV BEAM

- **4** Lowest power consumption: 35% lower than other LED insect light traps
- ① Less lamp replacement: LEDs require replacement only once every 3 years
- Specially formulated glue board: Ensures a superior capture with a 12% larger adhesive area versus Classic & Universal glue boards
- Full metal construction: UV resistant and long lasting for reliable service
- **HACCP Compliant**

DIMENSIONS

H: 32.0" W: 37.0" D: 7.0" H: 81.5 cm W: 94 cm D: 18 cm

WEIGHT

26.5 lb (12Kg)

COVERAGE

1290 ft2 / 120 m2 - Wall mounted

FINISH

Stainless Steel Product code: 125-000526

SHIPPING INFORMATION

Each Shipping weight: 32 lb (14.5Kg)

REPLACEMENT PARTS

130-000321 Shatter-Resistant Quantum X LED lamps 13w 21" T5 - Otv: 2

135-000056 Unique matrix gray glue board

(Replace only with this LED glue board for optimal performance)

Qty required 2 / Sold separately in packs of 6

Black LED 18" Glue Board 135-000245



Chameleon® EXG X X SCAN FOR VIDEO





LED INSECT LIGHT TRAP

864 Filament LEDs

9X more than common LED insect light traps (up to 90 LEDs)

360° UV Projection

Compared to other restricted & harsh 120° - 180° LED beams





QUANTUM® X LED Lamp Technology **360°** UV BEAM

- $\underline{\mathfrak{y}}$ Lowest power consumption: 35% lower than other LED insect light traps
- ① Less lamp replacement: LEDs require replacement only once every 3 years
- Specially formulated glue board: Ensures a superior capture with a 12% larger adhesive area versus Classic & Universal glue boards
- Full metal construction: UV resistant and long lasting for reliable service
- **HACCP Compliant**

DIMENSIONS

H: 12.5" W: 25.0" D: 2.1" H: 32 cm W: 64 cm D: 5 cm

WEIGHT

12.5 lb (5.6Kg)

COVERAGE

970-1290 ft² / 90-120 m² - Wall mounted

FINISH

Stainless Steel

Product code: 125-000527

SHIPPING INFORMATION

Each Shipping weight: 14.8 lb (6.7Kg)

REPLACEMENT PARTS

130-000321 Shatter-Resistant Quantum X LED lamps 13w 21" T5 - Qty: 2

135-000239 Unique matrix gray plastic glue board

(Replace only with this LED glue board for optimal performance)

Qty required 1 / Sold separately in packs of 6



Mantis Qualis IP SCAN FOR VIDEO



💓 X 🔕 Meta 👣 LinkedIn





Transformative Retrofit Technology

Embrace LED UVA Technology!
Upgrade your PestWest Fluorescent Systems to LED!




QBL LED: 130-000328 (kit comes with LED lamp & starter.)

Convert your Mantis® 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems.

Transform your fluorescent lamps, starters, and glue boards to LED with QBL LED retrofit lamps, starters, and specialty LED glue boards.

Transformed QBL LED systems provide several advantages:

- Mercury free
- · Environmentally sustainable
- 3-year lamp lifespan
- Low power consumption
- · Glass free





Transformative Retrofit Technology Mantis 2x2 Retrofit Product code: 130-000328 LED STARTER

Effortlessly transform your Mantis® magnetic ballast, 15W fluorescent lamp systems to LED with the exclusive PestWest LED Lamp Conversion Kit. Transform all your fluorescent lamps to LED or create unique hybrid systems with one fluorescent lamp and one LED lamp. For seamless integration, each retrofit LED lamp includes a dedicated LED starter.

Convert your Mantis 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems.

LAMP DATA:

- · LED retrofit for 15W T8 18" fluorescent UV-A lamps
- T8 18" 64 diode LED Lamp
- · Power consumption 7W per LED lamp
- 60% reduction in energy consumption
- Wavelength 365nm (UV-A)
- Operation 120V Direct or 15W magnetic ballast
- · Beam Angle 120°
- · Construction Metal end caps with glass tube
- · Rated Life Up to 3 years
- Supplied with LED Starter (Required)
- · Underwriters Laboratory (UL) listed



To install your retrofit lamps, watch our "how to" video!







An Early Fly Detection, Intervention & Prevention System













Proactive fly capture threshold alerts



Early identification to prevent infestation



Keeping sensitive manufacturing areas in safe hands



Prioritize trap services to increase production revenue



24/7/365 remote monitoring



Temperature & humidity are recorded alongside each image



Wi-Fi and mobile hotspot connectivity



Dedicated mobile App and web-based portal

DIMENSIONS

H: 8 ¾" W: 23½" D: 5.9" H: 22 cm W: 59.5 cm D: 15 cm

WEIGHT

10 lb (4.5Kg)

PLACEMENT

Wall mounted or suspended

FINISH

Black Coated Zintec Steel



SHIPPING INFORMATION

Each Shipping weight: 13.2 lb (6Kg)

REPLACEMENT PARTS

130-000173 Shatter-Resistant 25w x 18" T8 QBL - Qty: 2 135-000209 flyDetect Specialty Yellow glue board

(Replace <u>ONLY</u> with this glue board for quality image and accurate insect counts)

Qty required 1 / Sold separately in packs of 6



flyDetect*
SCAN FOR VIDEO & MORE





High quality systems utilizing advanced glue board technology

EFFECTIVE

PestWest Quantum lamps are uniquely designed for maximum efficacy, which results in 40% more fly attraction versus BL350 lamps.



DURABLE

Metal construction is UVA resistant, which assures long lasting systems with reliable service.



ENVIRONMENTALLY RESPONSIBLE

PestWest Quantum lamps are LEAD FREE and low Mercury (Hg).



ECONOMICAL

Larger, full size glue boards are conveniently interchangeable with most of the Mantis* systems.



VERSATILE

Available in stainless steel, white, black or customized, stainless steel systems are perfect for sensitive areas such as food facilities, pharmacuetical facilities, and medical facilities.







Mantis° **1x2 White** Product code: 125-000197 125-000296 (220V – Euro Plug) Mantis[®] 1x2 Black Product code: 125-000315 Mantis[°] 1x2 Stainless Steel Product code: 125-000316

SLIM

DESIGN

125-000171 (220v - Euro plug, special order)

Mantis 1x2

Slim line design catches all sizes of flying insects

- 21/2" depth is ideal for areas where space is limited.
- 2x15 W 18"T8 (1") Quantum Lamps provide 180° of coverage and optimum performance.
- FDA compliant FEP shatter resistant coating for protection in glass-free zones.
- Reflectobakt sleevs extend glue board life.
- Easy to remove bottom tray and drop-down front cover for easy no tool service.



- Add pheromone glue boards to any PestWest ILT glue board to increase attraction for target pests (see pages 59 - 60).
- Convert your Mantis® 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems.
- Change both lamps or create a hybrid system by changing only one lamp.

DIMENSIONS

H: 12.5" (31.5 cm) W: 19.0" (48.5 cm) D: 2.5" (6.5 cm)

WEIGHT

10 lb (4.5 kg)

POSITION

Wall mounted / Freestanding*

SHIPPING INFORMATION

Net Unit: 3/Case

Shipping weight: 33 lb (15 kg)

60/Pallet

REPLACEMENT PARTS Standard: 130-000160 Shattan and identify the standard of the standard of

Standard: 130-000160 Shatter resistant: 130-000171 Qty: 2



H: 121/2" (31.75 cm) W: 19" (48.26 cm) D: 21/2" (6.35 cm)

Original: 135-000047 (Black) Universal: 135-000070 (Black) 135-000064 (White)

Matrix: 135-000063 (Gray) Plastic: 135-000048 (Black)

Qty required 1 / Sold Separately in pack of 6




Scan the QR Code and add some fun to your educational material.

REFLECTOBAKT*














Product code: 802-000425



Stainless Steel Product code: 802-000281



Product code: 802-000503

Transform your Mantis® 1X2 with a discretion cover

Transform any 1X2 into a discreet insect light trap suitable for any public area. Retrofits easily with no tools required. See easy-to-follow instructions below.

DIMENSIONS

H: 8.5" (22 cm) W: 18.5" (47 cm) D: 2.5" (12.7 cm)

WEIGHT

2 lb (1 kg)

Easy to replace!



Always unplug system before attempting any maintenance or retrofit.



Remove bottom tray and carefully remove the front grill by slightly bending the tabs at the base of the grill outward from the punched holes and pull away.



Reverse the action with the new discretion cover.



Your new 1x2 with discretion cover is ready to go to work.







Maximized 50W power for high insect pressure environments

- 2x25~W~18"T8~(1")~Quantum~Lamps~provide~180°~of~coverage~and~optimumperformance.
- FDA compliant FEP shatter resistant coating for protection in glass-free zones.









REFLECTOBAKT*

- · Reflectobakt sleeves extend glue board life.
 - Dual voltage electronic ballast is energy efficient and fits 110v-220v environments (specify plug for 220v environment).
 - · Gray grid matrix board provides density counts for cGMP audits.
 - · Matching discretion cover available (see page 20).

DIMENSIONS

H: 12.5" (31.75 cm) W: 19.0" (48.26 cm) D: 2.5" (6.35 cm)

WEIGHT

10 lb (4.5 kg)

POSITION

Wall mounted / Freestanding*

SHIPPING INFORMATION

Net Unit: Each

Shipping weight: 16 lb (7.3 kg)

30/Pallet

Product Code: WMCVEU Mantis 220v Euro style power cord



Product Code: WMCVUK

Mantis 220v UK style power cord



REPLACEMENT PARTS



Shatter resistant: 130-000173 Qty: 2



135-000063 (Gray Matrix) Original: Universal: 135-000070 (Black)

> 135-000064 (White) 135-000047 (Black)

Premium: 135-000048 (Black)

Qty required 1 / Sold separately in pack of 6







Mantis²x2

Exclusive double-sided, ceiling suspended or portable system (optional free-standing kit available)

- 4x15 W 18"T8 (1") Quantum Lamps for 360° of coverage and optimum performance.
- FDA compliant FEP shatter resistant coating for protection in glass-free zones.
- · Reflectobakt sleeves extend glue board life.

REPLACEMENT PARTS

Standard: 130-000160 Shatter resistant: 130-000171 Qty: 4



· Ceiling suspended for increased placement options.

· Two full size glue boards for extra capture capacity.

· Available in 110 V and 220 V.

by changing only one.

H: 12.5" (31.75 cm) W: 19.0" (48.26 cm) D: 5.0" (13 cm) **WEIGHT**

17 lb (7.7 kg)

DIMENSIONS

POSITION

Ceiling Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weigh

Shipping weight: 23 lb (10.4 kg) 30/Pallet

Original: 135-000047 (Black) Universal: 135-000070 (Black) 135-000064 (White)

Matrix: 135-00004 (White)
Plastic: 135-000048 (Black)

Qty required 2 / Sold separately in pack of 6



DOUBLE

SIDED



• Can be converted to a portable system with the exclusive free standing retrofit


change from fluorescent to an LED system. Change both or make it a hybrid

kit (sold separately, see the image above, and minor assembly required).

• Use the new LED retrofit lamp in ANY 1x2, 2x2, 15w Uplight or Titan 300 to



REFLECTOBAKT



Product code: 125-000201 Ask us abour custom wrapping. Product code: 125-000204

Product code: 125-000404

Product code:

125-000300 (220v - Euro plug)

Mantis Uplight



Wall-mounted system for front-of-house areas

- Wall-mounted design for aesthetic blend as well as secondary lighting within public areas.
- The front cover can be painted, wrapped, or decorated to match existing
- Max 36 36w Plasma Quantum lamp for more attraction and power.
- Max 36 dual voltage ballast with IEC connection, which is suitable for a 110 V-220 V environment (specify plug for 220 V).



- · Fast & easy service reduces labor costs.
- · Ideal for public areas within restaurants, deli's, cafes, bakeries, and many

UPLIGHT ONLY

• Available in 110 V and 220 V.

WALL

MOUNTED

- Convert your Mantis® 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems.
- Change both lamps or create a hybrid system by changing only one lamp.

DIMENSIONS

H: 8.75" (22 cm) W: 18.5" (47 cm) D: 8.25" (21 cm)

WEIGHT

8 lb (8.6 kg)

POSITION

Wall mounted

SHIPPING INFORMATION

Net Unit: 2/Case Shipping weight: 18 lb (8.2 kg)



56/Pallet

Product Code: WMCVEU Mantis 220v Euro style power cord



REPLACEMENT PARTS

Standard: 130-000160 (Uplight) 130-000180 (Max 36) Shatter resistant: 130-000171

(Uplight) 130-000181 (Max 36) Qty: 1








Universal: 135-000070 (Black) 135-000064 (White) 135-000063 (Gray) Matrix: 135-000048 (Black)

Qty required 1 / Sold separately in pack of 6





Stainless Steel Product code: 125-000374

Mantis Sırıus

Sleek and Stylish

- Superior energy savings of up to 18% versus T8 lamps.
- High frequency electronic ballast significantly reduces energy consumption for optimum UVA emission and flicker-free lamps.
- Innovative 2x14 W 21"T5 (5/8") Quantum Lamps for higher UV output and less glass content.









- FDA compliant FEP shatter resistant coating for protection in glass-free zones.
- Dual voltage ballast (110 V-220 V) wired with a NEMA 5-15 (US) plug for a 110v environment (can be hard wired to hide the power cord using the punch-out hole in the back of the system).

Hard wiring is not related to different voltages; it simply conceals the cord for a sleek, cleaner, and more refined appearance.

DIMENSIONS

H: 7.5" (19 cm) W: 23.0" (58 cm) D: 4.75" (12 cm)

WEIGHT

6 lb (2.7 kg)

POSITION

Wall mounted (Horizontal or Vertical)

SHIPPING INFORMATION

Net Unit: Each

Shipping weight: 8 lb (4 kg)

REPLACEMENT PARTS





Original: 135-000047 (Black) Universal: 135-000070 (Black)

135-000064 (White)

Qty required 1 / Sold separately in pack of 6



Scan the QR code to see Sirius in action.







White

Product code: 125-000286

Stainless Steel Product code: 125-000287

Mantis VEGA

Ultra slim design with superior energy savings

- Ultra slim 1.5" depth.
- High frequency electronic ballast significantly reduces energy consumption and provides both a flicker-free lamp and optimum UVA emission.











REFLECTOBAKT°

- 3x14 W 21" innovative T5 (5/8") Quantum Lamps provide higher UV output, less glass content, and 26% less energy consumption versus T8 and T12 lamps.
- FDA compliant FEP shatter resistant coating for protection in glass-free zones.
- Dual voltage ballast with IEC connection is suitable for 110 V-220 V environments (specify plug for 220V).

DIMENSIONS

H: 11.75" (29 cm) W: 22.6" (57 cm) D: 1.5"(4 cm)

WEIGHT

11lb (5kg)

POSITION

Wall mounted

SHIPPING INFORMATION

Net Unit: 3/Case Shipping weight: 37 lb (17 kg) 60/Pallet



Product Code: WMCVEU Mantis 220v Euro style power cord



REPLACEMENT PARTS





Original: 135-000047 (Black) Universal: 135-000070 (Black) 135-000064 (White

135-000064 (White) Matrix: 135-000063 (Gray)

Qty required 1 / Sold separately in pack of 6



Scan the QR Code and add some fun to your educational material.









Sunbursts with white glue board. See the image on the right for the translucent glue board look.



Elegant, decorative table top fly light

- Decorative designs are ideal for front of house use within hotels, restaurants, bars, retail shops, and many others.
- Sunbursts are crafted with steel (available in white, gray, and black).









• 1x18 W CFL lamp is energy efficient.

• Dual voltage ballast with IEC connection is suitable for 110 V-220 V environment (specify plug for 220 V).

Sunburst: H: 12.625" (32 cm) W: 6.25" (23 cm) D: 4.125" (10 cm)

Sunburst: 4.2 lb (2.5 kg)

Freestanding table top design / Wall mounted

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 8.3 lb (3.8 kg) 63/Pallet

Product Code: WMCVEU Mantis 220v Euro style power cord



REPLACEMENT PARTS

Standard: 130-000243 Shatter resistant: 130-000247 Qty: 1





Translucent (plastic): 135-000179 Qty required 1 / Sold separately in pack of 3



Scan the QR Code to see Sunburst in











Powerful electrocutors with unique safety features for non-sensitive large areas

EFFECTIVE

PestWest Quantum lamps are uniquely designed for maximum efficacy, which results in 40% more fly attraction versus BL350 lamps.



DURABLE

Metal construction is UVA resistant, which assures long lasting systems with reliable service.



SAFETY

Built in safety switch in the front grill, turns the system off if opened for user safety.



ENVIRONMENTALLY RESPONSIBLE

PestWest Quantum lamps are LEAD FREE and low Mercury (Hg).



EASY TO USE

Power-on and grid-on warning lights combined with a tool-free guard opening and an easy-clean spring loaded electrocution grid provide inspection at a distance as well as convenient serviceabilty.





White

Product code: 120-000056











Compact mass capture power at 360°

- Interception protection for non-food areas of warehouses, kitchens, cafes, shops, and many others.
- 2x15 W 12"T5 (5/8") Quantum lamps.
- Available in 110 V only.

DIMENSIONS

H: 12.0" (30 cm) W: 13.75" (35 cm) D: 6.0" (15 cm)

WEIGHT

9 lb (4 kg)

POSITION

Freestanding / Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 11 lb (5 kg) 60/Pallet

REPLACEMENT PARTS

Standard: 130-000186 Shatter resistant: 130-000185 Qty: 2







Robust Outdoor System

With a splash-proof rating to IPX4, easy installation, and low operational costs, Titan 200 IP's weather-proof design is optimal for ranches, zoos, orchards, golf courses, and many other outdoor areas.

Environmentally responsible, robust and powerful, the Titan 200 IP is engineered with a metal casing and quality industrial transformer. Optimal eradication of flying insects for years to come. Servicing is quick with easy access to both the catch-tray and powerful 18 Watt CFL lamp.

DIMENSIONS

H: 18.5" (47 cm) W: 11.75" (30 cm) D: 11.75" (30 cm)\

WEIGHT

11 lb (5 kg)

POSITION

Suspended / Freestanding

SHIPPING INFORMATION

Net Unit: Each

Shipping weight: 13 lb (6 kg)



REPLACEMENT PARTS

1 x 18 Watt CFL 4 pin Lamp



Standard: 130-000243 Shatter resistant: 130-000247







TITANº

Double sided ceiling suspended electrocutor

- 2x15 W 18"T8 (1") Quantum shatter-resistant lamps for 360° coverage and optimum performance.
- FDA compliant FEP shatter-resistant coating for protection in glass-free zones.
- Powder coated white steel durablility for years of low maintenance service.







- Ideal for non-food areas of kitchens, all types of shops, warehouses, and many other sites to be protected.
- Available in 110 V & 220 V (special order).
- Convert your Mantis® 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems.
- Change both lamps or create a hybrid system by changing only one lamp.

DIMENSIONS

H: 13.0" (35 cm) W: 19.5" (50 cm) D: 5.5" (14 cm)

WEIGHT

16 lb (7.5 kg)

POSITION

Freestanding / Ceiling-suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 18 lb (8.2 kg) 40/pallet

REPLACEMENT PARTS

Standard: 130-000160 Shatter resistant: 130-000171 Qty: 2











Specialty systems designed for area-wide protection within wet areas as well as potentially hazardous environments (PHE)

IP RATED

Ingress protection protect against dust & water.



DURABLE

High grade metal constructions built for hash environments.



SAFETY

ATEX certified system for potentially hazardous environments (PHE).



ENVIRONMENTALLY RESPONSIBLE

PestWest Quantum lamps are LEAD FREE and low Mercury (Hg), for low environmental impact.





Mantis 4x4

160 Watts of 360° attraction with 926 square inches of glue board for en masse fly capture

- 4x40 W 24"T12 (1.5") shatter-resistant Quantum Lamps for powerful 360° flying insect attraction.
- FDA compliant FEP shatter resistant coating for protection in glass-free zones.











- · Reflectobakt° sleeve extends glue board life.
- Industrial size double-sided 926 square inch glue board provides en masse flying insect capture capability.
- Electronic ballast for energy efficiency.
- Must be hardwired by a licenced electrician.

DIMENSIONS

H: 24.5" (62 cm) W: 25.0" (63.5 cm) D: 6.5" (16.5 cm)

WEIGHT

26 lb (12 kg)

POSITION

Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 31 lb (14.1 kg) 10/Pallet

REPLACEMENT PARTS



Standard: 130-000145 Shatter resistant: 130-000146 Qty: 4



Original: 135-000053 (Double sided) Qty required 1 / Sold separately in pack of 6







Mantis 4x4 EX

Industrial system for potential dust or powder explosion environments

- Meets FDA, USDA, UL1559 and European safety standard (EN60335-2-59) requirements.
- Independently tested for IP65 (protection against dust and water).
- Compliant with Euro-norm PREN 50281-1-1 for potentially explosive atmospheres as well as EMC standards and NEC Division Code Class II, Division II.
- Suitable for Zone 22 areas or atmosphere with combustible dust or powder (EN 50014:1994).
- 4x40 W 24"T12 (1.5") shatter-resistant Quantum Lamps for 160 Watts of 360° attraction with 926 square inches of glue board for en masse fly capture.
- Reflectobakt[®] sleeve extends glue board life.

4X40W

· Must be hardwired by a licenced electrician.

DIMENSIONS

H: 24.5" (62 cm) W: 25.0" (63.5 cm) D: 6.5" (16.5 cm)

WEIGHT

34 lb (15.4 kg)

POSITION

Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 40 lb (18.1 kg) 10/Pallet

REPLACEMENT PARTS Shatter resistant: 130-000146 Qty: 4 Original: 135-000053 (Double sided glue board) Qty required 1 / Sold separately in pack of 6

AREA



REFLECTOBAKT



Chameleon EXG

ATEX Certified system for potentially hazardous environments (PHE)

For use in petrochemical plants, pharmaceutical facilties, distilleries, dairies, flour and sugar mills, and many other sites.

- Tested to be compliant with ATEX Directives 99/92/EC and 94/9/EC.
- Suitable for use in Zones 22 & 21 (atmospheres with combustible dust or powder) and Zones 2 and 1 (atmospheres with flammable gases or vapors).
- · P66 rated for protection aganst dust and water.









- Anti-corrosion construction of 304 brushed stainless steel and marine grade aluminum alloy.
- FDA compliant FEP shatter-resistant coating for protection in glass-free zones.
- Adjustable glue board holders for easy placement within confined spaces.
- Flexibility to move glue boards closer to the Quantum UVA lamps. Automatic switch off-on opening mechanism for safe servicing.
- Dual voltage ballast is suitable for 110 V-220 V environments.
- · Must be hardwired by a licenced electrician.

DIMENSIONS

H: 31.5" (77.5 cm) W: 31.5" (90 cm) D: 12.0" (30.5 cm)

WEIGHT

37 lb (16.8 kg)

POSITION

Wall-mounted

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 40 lb (18.1 kg) 10/Pallet

REPLACEMENT PARTS

Shatter resistant: 130-000174 Qty: 2



Original: 135-000050 (Gray glue board) Qty required 2 / Sold separately in pack of 6







Top quality glue boards for most insect light traps

NO WARPING

Glue boards are double sealed to protect against moisture within steamy or high moisture environments.



SPECIAL GLUE

No glue residues on hands or surfaces.



UV RESISTANT

UVA resistant glue lasts up to 60 days.



VERSATILE

Replacement glue boards for most insect light traps.



Replacement Glue Boards and Reflectobakt®



Find us on: 🔊 X 🕟 Meta 👣 LinkedIn

Previously, the pest managment industry has generally used black as a standard glue board color to hide captured insects. However, as pest management has evolved into a science, PestWest glue boards have also evolved significantly.



Classic Premium Glue Board (135-000047)

- Large surface provides a greater catch per glue board.
- Interchangeable with most Mantis* systems.
- Thicker glue combined with a coating to reduce warping and moisture absorption.
- Lasts up to 60 days in PestWest systems.
- Glue boards are closer to the Quantum UVA lamps to assure rapid flying insect capture.

Sunburst[®] white, black and

translucent glue boards

White glue board: 135-000049

Black glue board: 135-000074

Translucent glue board: 135-

000079




• Gray Grid Matrix Glue Board (135-000063)

- Grids for easy insect counting and monitoring.
- Glue boards can be retained to provide an accurate record for cGMP audits.



4x4 Glue Board (130-000053)

- Industrial size 926 square inch glue board for en masse fly capture.
- Fits Mantis® 4x4 and 4x4EX systems.



Reflectobakt[®]

Reflectobakt* sleeves shield glue boards from the denaturing effect of UVA light. Assures longer glue board life. Sleeves are vailable for T5 (5/8"), T8 (1"), and T12 (1 1/2") lamps.



Premium Plastic Glue Board (135-000048)

· Ideal for high moisture areas.



Chameleon[®] EXG Glue Board (135-000050)

Produced with fire-retardant material for use in combustable environments.

Gray grids for easy insect counting.



LED Range Specific Glue Board (135-000226)

The LED gray matrix glue board is specially designed for use with the Quantum X LED ILT range. Only for use within LED insect light traps.

A significant 12% greater capture area versus Classic and Universal glue boards.

Only use this LED replacement glue board.





flyDetect[®] Ultra Yellow Glue Board (135-000209)

Specifically designed for use in the flyDetect* system to provide both glue board image quality and accurate fly counts. **Only** use this replacement glue board.

NOTE: Do not throw away Reflectobakt* sleeves! Remove the sleeves from spent lamps and place on replacement lamps for optimal performance.

To remove glue, use vegetable oil on the glue or glue residues.







Tip: To maximize IPM value, place Demi-Diamond pheromone glue boards on top of Mantis[®] and LED glue boards. Enhance glue boards with pheromone monitoring.

GLUE BOARDS FOR INSECT LIGHT TRAPS

| PRODUCT | PRODUCT CODE | BOARD DIMENSIONS | PERFORATIONS | PALLET / CASE / NET UNIT | CASE SHIPPING WEIGHT |
|---|--------------|---------------------------|--------------|-----------------------------|-------------------------|
| Universal Glue Board - Black | 135-000070 | 16 3/4" x 9 5/8" | х | 1000/25/6-pk | 29 lb/ 2 lb per 6-pk |
| Universal Glue Board Black-12 Pack | 135-000203 | 16.75" x 9.625" | х | 12/12-pk | 29 lb / 3 lb per 12-pk |
| Universal Glue Board - White | 135-000064 | 16.75" x 9.625" | х | 1000/25/6-pk | 29 lb / 2 lb per 6-pk |
| Classic Premium Glue Board - Black | 135-000047 | 16.75" x 9.625" | х | 1000/25/6-pk | 37.5 lb / 2 lb per 6-pk |
| Premium Plastic - Moisture Resistant - Black | BOAMAN872 | 16.75" x 9.625" | 40 NO 380 | 1000/25/6-pk | 40.5 lb / 2 lb per 6-pk |
| Gray Grid Matrix | 135-000063 | 16.75" x 9.625" | | 1000/25/6-pk | 35.5 lb / 2 lb per 6-pk |
| Glue Boards for Chameleon® EXG - Gray | 135-000050 | 23.75" x 16.625" | | 1440/14/6-pk | 43 lb / 3.0 lb per 6-pk |
| Matrix 4x4 Glue Boards - Gray | 135-000053 | 23.75" x 19.5" 2-Sided | | 1440/14/6-pk | 58 lb / 4.0 lb per 6-pk |
| Black Boards for the SunDew and Sunburst | 130-000049 | 9.5" x 9.875" | | 40/3-pk | 9.5 lb / 2 lb per 3-pk |
| Black boards for the SunDew, Naturale and Sunburst | 135-000074 | 9.5" x 9.875" | | 40/3-pk | 9.5 lb / 2 lb per 3-pk |
| Transluscent Board allows UVA light to shine through the Sunburst. | Glue Board | 9.5" x 9.875" | | 40/3-pk | 9.5 lb / 2 lb per 3-pk |
| Yellow Glue Board for FlyDetect Specifically designed for use within the flyDetect System to provide both a quality glue board image and accurate fly counts. | 135-000209 | 16.75" x 9.625" | х | 1000/25/6-pk | 37.5 lb / 2 lb per 6-pk |
| Glue Board for Mantis Qualis LED Unique matrix gray glue board (Replace ONLY with this LED glue board for optimal performance) | 135-000226 | 18.875" x 9.625" | х | 1000/18/6-pk | 27 lb / 1.7 lb per 6-pk |
| Unique Matrix Gray Glue Board Replace ONLY with this LED glue board for optimal performance). Use only the matrix gray LED replacement glue board. | 135-000245 | | X. | | |

Replacement Universal Glue Boards

Find us on: X Meta in LinkedIn

more glue board capture surface



PestWest® Universal Glue Boards are available in both discreet black and high resolution white. These glue boards have been used in a wide variety of applications outside of insect light traps.

Use in and around homes and restaurants as passive traps for insect monitoring and capture. The preferred glue board for nonchemical applications.

Directions for use are available in English and Spanish.



PestWest Universal glue boards fit these models:

Universal Black 12-pk: 135-000203 New with ready-to-ship cardboard packaging



MODEL

Universal Black 6-pk: 135-000070



MANUFACTURER



MANUFACTURER

Gilbert





Manufacturers' updates are subject to change without notice.

*Does not scroll.

** To prevent glue board guide sticking, retain a 1" strip of contact paper on each end.

For more information, please contact us at **941.358.1983.**

| AROD | 505, 1010, Bugster 30, Cenith PVC/ Aluminum | Inse |
|-----------------------|---|-------|
| Atlantic Paste & Glue | 910 Mini Dynamite | Inse |
| Atlantic Paste & Glue | 911 Dynamite | Inse |
| Atlantic Paste & Glue | Vector Classic | Inse |
| B&G Equipment | Matrix* | Inse |
| Brandenburg | Genus, Eclipse, Orbit, Spectra, FLI | JT Ea |
| Brandenburg | Cobra, Cobra LED | Para |
| Gardner | MX- 360 Portable | Para |
| Gardner | GT-200 | Pest |
| Gardner | GT-180 | Pest |
| Gardner | GT-150 | Pest |
| Gardner | WS-75 (wall sconce) | Pest |
| Gardner | WS-85 (wall sconce) | Pest |
| Gilbert | Sticky Fox-225 | Pest |
| Gilbert | Sticky Tiger- 219GT | Pelsi |
| Gilbert | Sticky Bear- 747GT | Pelsi |
| Gilbert | Sticky Lizard | Pelsi |
| Gilbert | Leonardo | Pelsi |

1999 GT- Flying Venus

| Insect-o-cutor | GBH362 |
|----------------|---------------------------------------|
| Insect-o-cutor | GB18 |
| Insect-o-cutor | GBP182 |
| Insect-o-cutor | GBWS252 - Guardian* |
| Insect-o-cutor | GBP482 |
| JT Eaton | Synergetic |
| Paraclipse | Insect Inn (original)* |
| Paraclipse | Insect Inn Ultra I & II (#72651-3)* |
| PestWest | Mantis* 1x2 - white & stainless steel |
| PestWest | Mantis* Uplight & Uplight MAX36 |
| PestWest | Mantis* 1x2 - MAX 50 |
| PestWest | Mantis* 2x2 - white |
| PestWest | Mantis* Vega & Sirius |
| PestWest | On Top Pro es |
| Pelsis | Luralite- Professional 30 |
| Pelsis | Luralite- 18 |
| Pelsis | Satelite-30 |
| Pelsis | The Edge |
| Pelsis | Intellilight Pro & Standard** |
| | |

MODEL



TO LEARN MORE Scan for video





Full Line of Replacement UVA Lamps









Find us on: 🚫 X 🔕 Meta 📵 LinkedIn

Scientific studies demonstrate the visual physiology of the House fly, (Musca domestica), is highly responsive to 365-370 nm UVA light. PestWest is your best provider of flying insect science. PestWest is your best provider of high quality Mantis* range insect light traps, Quantum 365 nm fluorescent lamps, and fluorescent lamp specific glue boards.

Insect light traps with narrow beam angle point source UVA LED lamps may never possess the fly responsiveness of fluorescent insect light traps. However, PestWest now provides new Quantum* X 370 nm filament UVA LED lamp technology light traps, LED lamps, and specially designed LED glue boards. Additionally, PestWest offers a new retrofit LED lamp for magnetic ballast (starter) 15 W x 18"T8 fluorescent lamp systems.

Studies demonstrate that Quantum* X 370 nm filament UVA LED lamp technology both meets and exceeds fly responsiveness versus fluorescent lamps. We use the highest quality shatter-resistant coating for your protection and optimum insect attraction.

Note: Lamps must be at ambient or room temperature prior to installation and start-up. Cold fluorescents can collect condensation and slow-start swirl.



36 WATT PESTWEST QUANTUM PLASMA LAMP

36 WATT QUANTUM PLASMA SHATTER RESISTANT LAMP

| PRODUCT CODE | | DESCRIPTION | PRODUCT CODE | | DESCRIPTION |
|-----------------------|-------|--|----------------------|-------|--|
| TUB09W535/130-000249 | 50/CS | 9W Fly Web CFS, 2 pin | 130-000255 | xxxx | xx |
| TUB13W458/130-000163 | 10/CS | 13W CFS Quantum fits Sundew 4 pin. Lead-free | 130-000237 | xxxx | xx |
| TUB14W471/130-000177 | 25/CS | 14W x 21" T5 Quantum SH. Lead-free | TUB25W430/130-000155 | 25/CS | 25W x 18" T8 Quantum Lead-Free |
| TUB15W407/130-000186 | 25/CS | 15W x 12" T5 Quantum. Lead-free | TUB25W490/130-000173 | 25/CS | 25W x 18" T8 Quantum SH Lead-Free |
| TUB15W467/130-000185 | 25/CS | 15W x 12" T5 Quantum SH. Lead-free | TUB26W521/130-000224 | 50/CS | 26W CFS BL350 2-pin |
| TUB15W429/130-000205 | 25/CS | 15W x 16" T8 Quantum. Lead-free | TUB26W522/130-000225 | 50/CS | 26W CFS BL350 SH 2-pin |
| TUB15W489 /130-00206 | 25/CS | 15W x 16"T8 Quantum SH. Lead-free | TUB36W536/130-000180 | 50/CS | 36W Plasma Quantum Each 4-pin |
| TUB15W430/130-000160 | 25/CS | 15W x 18" T8 Quantum. Lead-free | TUB36W537/130-000181 | 50/CS | 36W Plasma Quantum Each SH 4-pin |
| TUB15W490/130-000171 | 25/CS | 15W x 18" T8 Quantum SH. Lead-free | 130-000234 | EACH | 40W tight bend |
| TUB15W570/130-000172 | 25/CS | 15W x 18"T8 | 130-000235 | EACH | 40W tight bend SH |
| TUB15W628/130-000241 | 25/CS | 15W x 18"T8 | TUB40W650/130-000256 | 25/CS | 40W x 18" T12 BL350 SH (32w energy saver) |
| TUB18W521/130-000243 | 10/CS | 18W CFL 4-pin | TUB40W452/130-000145 | 25/CS | 40W x 24" T12 Quantum Lead-Free |
| TUB18W522/130-000247 | 10/CS | 18W CFL SH 4-pin | TUB40W512/130-000146 | 25/CS | 40W x 24" T12 Quantum SH Lead-Free |
| 130-000174 | 25/CS | 18W x 24" T8 Quantum SH (EXG use). Lead-free | 130-000269 | 25/CS | 40W x 48" T12 BL368 SH Lead-Free |
| TUB20W452/130-000158 | 25/CS | 20W x 24" T12 Quantum. Lead-free | 130-000236 | 25/CS | 40W x 48" T12 BL368 Lead-Free |
| TUB20W512 /130-000190 | 25/CS | 20W x 24" T12 Quantum SH. Lead-free | 130-000268 | 25/CS | 36W x 24" T8 Quantum SH Lead-Free |
| 130-000166 | 12/CS | 22w Circline BL368 Lead-free | 130-000267 | 25/CS | 36W x 24" T8 Quantum Lead-Free |

T5 = 5% inch diameter

T8 = 1 inch diameter

T12 = 1½ inch diameter

FEP FLUOROPOLYMER COATING

ETHYLENE METHACRYLIC ACID

POLYETHYLENE





For increased efficacy and energy savings, PestWest offers 18 W and 36 W T8 lamps to retrofit 20 W and 40 W T12 lamps.

PestWest is the only insect light trap manufacturer to offer the the Mad Hatter® Lamp Recycling Box Program. See pages 45 - 46.

SH = Shatter Resistant CFS = Compact Fluorescent Short CFL = Compact Fluorescent Long

Don't see your lamp listed here? CALL US... 866.476.7378







Manufacturers' updates are subject to change. For more information, please contact us at 941.358.1983.

| | | | | PestWest Quantum or BL368 lamp Product Code | | BL350 lamp Product code | |
|-------------------------|---|-------------------------|------------|---|-------------------|-------------------------|-------------------|
| Manufacturer | Model | Lamp | # Of Lamps | Standard | Shatter Resistant | Standard | Shatter Resistant |
| | | | | Each | Each | Each | Each |
| Atlantic Paste & Glue | Vector Discreet | 26w Lynx 2 pin | 1 | n/a | n/a | 130-000224 | 130-000225 |
| Atlantic Paste & Glue * | Vector 15/30 | 15w x 18" T8 | 1&2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Atlantic Paste & Glue | Vector Plasma & Plasma One | 36w x 16" 4 pin | 2&1 | 130-000180 | 130-000181 | use Quantum | use Quantum |
| Atlantic Paste & Glue * | Vector Classic | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Atlantic Paste & Glue * | Vector | 15w x 18" T8 | 3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Atlantic Paste & Glue | 910 Mini Dynamite (1-15w T5) | 15w x 12" T5 | 1 | 130-000186 | 130-000185 | use Quantum | use Quantum |
| Atlantic Paste & Glue | 911 Dynamite (2012 model) | 25w x 18" T8 | 2 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Atlantic Paste & Glue | 911 Dynamite (2013 model) | 36w plasma | 1 | 130-000180 | 130-000181 | use Quantum | use Quantum |
| Atlantic Paste & Glue | Silentrap | 13w Lynx | 1 | 130-000163 | n/a | n/a | n/a |
| AROD* | Bugster, bugster 15 & décor, Cenith | 15w x 18" T8 | 1 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| AROD* | Bugster 30 & 30+, (60, 202) | 15w x 18" T8 | 2 & 4 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| AROD * | Thunder | 15w x 18" T8 | 3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| AROD | Hunter | 15w x 12" T5 | 6 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Flowtron | FC-4400,4410 | 40W tight bend (BF-150) | 1 | 130-000234 | 130-000235 | use Quantum | use Quantum |
| Flowtron | BK80D, FC-4700,4800,4810,7600 | 40w tight bend (BF-150) | 2 | 130-000234 | 130-000235 | use Quantum | use Quantum |
| Gardner | MX- 360 Portable, AG-969 (After 2012) | 25w x 18" T8 | 4 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Gardner | MX- 360 (Prior to 2012) | 32w x 18" T12 | 4 | 130-000254 | 130-000256 | use BL368 version | use BL368 version |
| Gardner | Fly Web Classic | 9w 2 pin CFS | 1 | | call | 130-000249 | call |
| Gardner | GT-225, WS-95 | 25w x 18" T8 | 2 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Gardner | GT-220, ANA-40, iFly 40 | 20w x 24" T12 | 2 | 130-000158 | 130-000190 | 130-000144 | 130-000164 |
| Gardner * | GT-180 & GT-215, iFly, iFly accent | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Gardner | GT-200 | 32w x 18" T12 | 2 | 130-000254 | 130-000256 | use BL368 version | use BL368 version |
| Gardner | GT-150 | 25w x 18" T8 | 1 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Gardner | GT-480/0R324 | 36W X 48" T8 New | 2 | 130-000279 | 130-000279 | use BL368 version | use BL368 version |
| Gardner * | WS-75 & WS-85 (wall sconce) | 15w x 18" T8 | 1 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Gardner | AG-970(2-40w) | 32w x 18" T12 | 2 | 130-000254 | 130-000256 | use BL368 version | use BL368 version |
| Gardner | AG- 969 Wall Mount prior to 2012, AG-961 | 32w x 18" T12 | 3 | 130-000254 | 130-000256 | use BL368 version | use BL368 version |
| Gardner | AG- 241 Wall or Ceiling Mount | 40w x 48' T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Gardner | RG1002, AG-661(2-40W), iFly 65 | 40w x 48' T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Gardner | AG-963/970 | 32w x 18" T12 | 1 | 130-000254 | 130-000256 | use BL368 version | use BL368 version |
| Gilbert | Flying Lion-711, The Don-601T, Executive-601E | 40w x 48' T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Gilbert | Junior- 601TJ, Guerrilla-220, Sticky Fox-225 | 20w x 24" T12 | 2 | 130-000158 | 130-000190 | 130-000144 | 130-000164 |
| Gilbert | Hall Stalker-Ceiling-607, Sticky Bear-747GT | 40w x 48' T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Gilbert | Night Hawk-705, Night Eagle-Ceiling-60, | 40w x 48' T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Gilbert | Sticky Tiger-219GT, Sticky Lizard, Leonardo | 20w x 24" T12 | 2 | 130-000158 | 130-000190 | 130-000144 | 130-000164 |
| Gilbert | 2000 (02, 04) GT-Flying Venus | 20w x 24" T12 | 2 | 130-000158 | 130-000190 | 130-000144 | 130-000164 |
| Gilbert * | 1999 GT-Flying Venus | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Insect-o-cutor* | GB18, GBP182 | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Insect-o-cutor | GBWS252 - Guardian | 25w x 18" T8 | 2 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Insect-o-cutor | GBP482 | 40w x 48" T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| JT Eaton | Synergetic | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Paraclipse | Insect Inn (15") (original) | 22w x 15" T12 | 1 & 2 | use BL350 version | use BL350 version | 130-000250 | 130-000251 |
| Paraclipse | Insect Inn Ultra I & II (16" #72651-3) | 15w x 16" T8 | 2 | 130-000205 | 130-000206 | use Quantum | use Quantum |
| PestWest * | Mantis 1x2, Discretion & Mantis 1x2 IP | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| PestWest | Mantis 1x2 Max 50 | 25w x 18" T8 | 2 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| PestWest * | Mantis 2x2 | 15w x 18" T8 | 4 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| | | | | | | | |

^{*}Convert your Mantis 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems (PC: 130-000328).





| | | | | PestWest Quantum or BL368 lamp Product Code | | BL350 lamp Product code | |
|------------------------|--|----------------------------|------------|---|-------------------|-------------------------|-------------------|
| Manufacturer | Model | Lamp | # Of Lamps | Standard | Shatter Resistant | Standard | Shatter Resistant |
| | | | | Each | Each | Each | Each |
| PestWest * | Mantis Uplight | 15w x 18" T8 | 1 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| PestWest | Mantis Uplight Max36 | 36w plasma | 1 | 130-000180 | 130-000181 | use Quantum | use Quantum |
| PestWest | On-Top-Pro ES (Ceiling insert) | 14w x 21" T5 | 2 | n/a | 130-000177 | n/a | use Quantum |
| PestWest | Sirius | 14w x 21" T5 | 2 | n/a | 130-000177 | n/a | use Quantum |
| PestWest | Mantis Vega | 14w x 21" T5 | 3 | n/a | 130-000177 | n/a | use Quantum |
| PestWest | Sunburst / Naturale | 18w Lynx Lamp 4 pin | 1 | 130-000243 | 130-000247 | use Quantum | use Quantum |
| PestWest * | TITAN 300 | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| PestWest | TITAN ALPHA | 15w x 12" T5 | 2 | 130-000186 | 130-000185 | use Quantum | use Quantum |
| PestWest | TITAN 200IP | 18w Lynx Lamp 4 pin | 1 | 130-000243 | 130-000247 | use Quantum | use Quantum |
| PestWest | NEMESIS Corner mount | 40w x 24" T12 | 2 | 130-000145 | 130-000146 | use Quantum | use Quantum |
| PestWest | NEMESIS Quattro | 14w x 21" T5 | 4 | n/a | 130-000177 | use Quantum | use Quantum |
| PestWest | MANTIS 4X4 / 4X4 EX | 40w x 24" T12 | 4 | 130-000145 | 130-000146 | use Quantum | use Quantum |
| PestWest | Chameleon EXG | 18w x 24" T12 | 2 | n/a | 130-000174 | use Quantum | use Quantum |
| PestWest | Sirius X, Qualis, Stellaris, OTPX, Nemesis X, LED Lamp | Quantum® X LED- 13w 21" T5 | 2 | n/a | 130-000243 | use Quantum X | use Quantum X |
| PestWest | flyDetect | 25w x 18" T12 | 2 | 130-000155 | 130-000173 | use Quantum | use Qutanum |
| Pelsis * | Halo 15 & 30 & 45 | 15w x 18" T8 | 1&2&3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis * | Luralite-Professional 30, Satelite-30, Exocutor-EX30 | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis | Luralite-18 (various colors) | 18w Lynx Lamp 4 pin | 1 | 130-000243 | 130-000247 | use Quantum | use Quantum |
| Pelsis | Exocutor- EX40 | 20w x 24" T12 | 2 | 130-000158 | 130-000190 | 130-000144 | 130-000164 |
| Pelsis | Exocutor- 80S | 36w x 24" T8 | 2 | 130-000267 | 130-000268 | use Quantum | use Quantum |
| Pelsis | Excalibur - 30w | 15w x 18" T8 | 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis | Aura | 22w Circline | 1 | 130-000191 | 130-000166 | 130-000156 | n/a |
| Pelsis | Excalibur-HL080(2-40w) | 40w x 24" T12 | 2 | 130-000145 | 130-000146 | use Quantum | use Quantum |
| Pelsis | Excalibur-HL0160(4-40w) | 40w x 24" T12 | 4 | 130-000145 | 130-000146 | use Quantum | use Quantum |
| Pelsis | The Edge | 30w x 18" T8 | 1 | n/a | use BL350 version | n/a | 130-000229 |
| Pelsis * | Intellilight Pro & Standard | 15w x 18" T8 | 3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis/B&G Equipment | Onyx | 25w x 18" T8 | 2 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Pelsis/B&G Equipment | Vortex | 25w x 18" T8 | 1 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Pelsis/B&G Equipment * | Flying V | 15w x 18" T8 | 3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis/B&G Equipment | Matrix | 25w x 18" T8 | 4 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Pelsis/B&G Equipment | FT-2000 | 40w x 48" T12 | 2 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Pelsis/B&G Equipment | FT-4000 | 40w x 48' T12 | 4 | 130-000236 | 130-000269 | 130-000255 | 130-000237 |
| Pelsis/Brandenburg | Genus Eclipse | 15w x 12" T5 | 2 | 130-000186 | 130-000185 | use Quantum | use Quantum |
| Pelsis/Brandenburg * | Genus brands, Orbit, Innova, Fli | 15w x 18" T8 | 1 & 2 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis/Brandenburg * | Viper 30, Jet | 15w x 18" T8 | 3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| Pelsis/Brandenburg | Illumé Alpha/ Galaxy | 15w x 12" T5 | 2 | 130-000186 | 130-000185 | use Quantum | use Quantum |
| Pelsis/Brandenburg | Illumé Galaxy | 25w x 18" T8 | 2 | 130-000155 | 130-000173 | 130-000167 | 130-000222 |
| Pelsis/Brandenburg | Spectra/Spectra Compact/Portatrap | 36w plasma | 2&1 | 130-000180 | 130-000181 | use Quantum | use Quantum |
| Orkin* | Orkin 1x3 | 15w x 18" T8 | 3 | 130-000160 | 130-000171 | 130-000172 | 130-000241 |
| | 1 | 1 | 1 | | | I. | l |

^{*}Convert your Mantis 1x2s, 2x2s, 15W Uplights, and Titan 300 electrocutors to LED systems (PC: 130-000328).

Features and Benefits of PestWest Quantum lamps

- 14,000 hour operational life or 1.6 years
- 100% Lead free for a safer environment
- Available in both standard and shatter-resistant (glass-free zones)
- Shatter-resistant FEP coating will not flake, melt, discolor, or drip
- PestWest offers the new ultra T5 lamps, which can save up to 40% in energy costs (versus T8 and T12 lamps)
- Don't see your UVA lamp? Please coantact us: 866 476 7378









The Exclusive Mad Hatter® Lamp Recycling Box Program

SAFE CONTAINMENT OF MERCURY

Mercury containing fluorescent lamps are responsibly recycled at a professional recycling facility.



SAFE CONTAINMENT OF LEAD

Lead containing fluorescent lamps are responsibly recycled at a professional recycling facility.



COMPLIANT WITH REGULATIONS

Fluorescent lamp recycling regulations vary by location. Recycle correctly and be compliant with local regulations.



ENVIRONMENTALLY RESPONSIBLE

Prevent heavy metal contamination that is hazardous to both public health and the environment.



EASY PROCESS

Fill the box, seal the box, label the box, and send the box.





Mad Hatter® Lamp Recycling Box Program



Find us on: 🔊 X 🚫 Meta 👣 LinkedIn

Prevent heavy metal contamination that is hazardous to both public health and the environment.

Over 500 million spent lamps are discarded into dumpsters each year. This practice is not only illegal but also contributes more Mercury contamination to the environment than any other consumer product.

The Mad Hatter® Lamp Recycling Program offers a cost-effective and responsible solution for preventing contamination. This easy-to-use box program is specifically designed to simplify the recycling of spent lamps. It ensures that smaller quantities of spent fluorescent lamps are recycled in compliance with federal, state, and local regulations.

- · One price includes everything you need saving you hundreds of dollars on your recycling needs
- Convenience for smaller quantities of lamps
- Ideal for facilities with storage limitations no need to wait for large quantities of lamps to build-up
- Affordable purchase recycling services based on your individual needs

A single 4-foot fluorescent lamp can contaminate a 20-acre lake. This results in unsafe levels of Murcury in drinking water.

With a single call to PestWest, you can receive the Mad Hatter® box, specifically designed for smaller quantities of lamps. This box includes a return shipping label and complete instructions. Once filled with spent lamps, simply send it back, and you'll receive a certificate of recycling upon completion.

| PRODUCT CODE | PRODUCT DESCRIPTION | NET UNIT | SHIPPING WEIGHT |
|--------------|---|----------|-----------------|
| 355-000002 | Medium box is $8.5'' \times 8.5'' \times 48''$ and holds approximately 60-75 lamps (based on T8/24"). | Each | 3.5 lb |
| 355-000003 | Large box is $12'' \times 12'' \times 48''$ and holds approximately 146 lamps (based on T8/24"). | Each | 4 lb |

Mercury is an essential component of fluorescent lights including 'Green Tip" and Compact Fluorescent (CFL) lamps - therefore all fluorescent lamps must be recycled correctly when they are removed from service.



SPENT FLUORESCENT LAMP RECYCLING IS AS EASY AS 1-2-3











Bio-Gel® Resource Cleaning Products



Beneficial Bacteria resource cleaning program for drains, floors, dumpsters, grease traps, and many others

BENEFICIAL BACTERIA

Put billions of bacteria to work with the Bio-Gel+ range of products.



BIODEGRADABLE

Bio-Gel+ leaves behind, water, CO₂, and a fresh clean scent.



NON-PATHOGENIC

Bio-Gel+ contains soil-based benefical bacterial species.



ENVIRONMENTALLY RESPONSIBLE

Contains no pesticides nor harsh chemicals.



ENVIRONMENTALLY SENSITIVE

Non-toxic and no-corrosive.









Put beneficial bacteria to work cleaning a wide variety of surfaces and floor drain systems

- Synergized bacterial blend effectively removes organic build-ups, such as fats, oils, greases (FOG), carbohydrates, and proteins.
- Reduces foul odors, improves drain flow, and is gentle on all drain lines.
- Thickened formulation is specially designed for optimum surface cling and cleaning within active drains.
- · Fresh citrus scent.
- Available in 32 oz. (quart), 128 oz. (gallon), 6 gallon pail, and 55 gallon drum.
- Dilutable with water.

Biodegradable Non-toxic

Non-pathogenic Non-caustic

Non-corrosive

California Cleaning Product Right to Know (SB258) Ingredient disclosure: FD&C Yellow #5 (2E)-3,7-dimethylocta-2,6-dienal 1,4-dioxane Oxirane For more ingredient information v

Oxirane For more ingredient information visit: https://us.pestwest.com/bio-gel/ Toll free: 866.476.7378



| PRODUCT | PRODUCT CODE | NET UNIT | SHIPPING WEIGHT |
|---------------------|--------------|--------------|-----------------|
| Bio-Gel Quart | 620-000002 | 12/Case | 29 lb |
| Bio-Gel Gallon | 620-000004 | 1 Gal - 4/CS | 37 lb |
| Bio-Gel 6 gal pail | 620-000003 | Each | 53 lb |
| Bio-Gel 55 gal drum | 620-000001 | Each | 480 lb |
| | | | |



Pro Dose

Automated Inline Injection System

- Field-proven drain and odor control dispensing system.
- Ideal for use with Bio-Gel for drain lines and grease traps.
- Pail mount included, easy to fit on 6 gallon pail.
- Work with 110v AC or battery power.
- Timer and dose control.
- · Available in wall and pail mount versions.



| PRODUCT | PRODUCT CODE | NET UNIT | SHIPPING WEIGHT |
|-------------------------------|---|--|---|
| Bio-Gel Pro Dose - wall mount | 390-000140 | Each | 6 lb |
| Bio-Gel Pro Dose - pail mount | 390-000141 | Each | 8 lb |
| | PRODUCT Bio-Gel Pro Dose - wall mount Bio-Gel Pro Dose - pail mount | Bio-Gel Pro Dose - wall mount 390-000140 | Bio-Gel Pro Dose - wall mount 390-000140 Each |



Foamable formulation for active drains

- High expansion foam with a synergized bacterial blend effectively removes organic build-ups, such as fats, oils, greases (FOG), carbohydrates, and proteins.
- Reduces foul odors, improves drain flow, and is gentle on all drain lines.
- Fresh citrus scent.
- Ready to use with the included foaming trigger.
- · Available in 32 oz. (quart) and 128 oz. (gallon).

Bio-Gel[®] Pro Foam

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive California Cleaning Product
Right to Know (SB258)
Ingredient disclosure:
FD&C Yellow #5
(2E)-3,7-dimethylocta-2,6-dienal
1,4-dioxane
Oxirane
For more ingredient information visit:
https://us.pestwest.com/bio-gel-cleaning-products/bio-gel-pro-foam/
Toll free: 866.476.7378



| PRODUCT | PRODUCT CODE | NETUNIT | SHIPPING WEIGHT |
|-------------------------|--------------|--------------|-----------------|
| Bio-Gel PRO FOAM Quart | 620-000022 | 12/Case | 29 lb |
| Bio-Gel PRO FOAM Gallon | 620-000023 | 1 Gal - 4/CS | 37 lb |





Beneficial bacteria for robust cleaning of disgusting dumpsters

- Bacterially clean all types of trash cans, recycle bins, dumpsters, grease vaults, high rise trash chutes, garbage trucks, compactors and many others.
- Essential oil designed for malodor rescue.
- · No scrubbing or rinsing required.
- · Fresh scent.
- For indoor and outdoor use.
- Available in 128 oz. (gallon), 5 gallon pail, and 55 gallon drum.

DUMPSTER GUARD

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive California Cleaning Product
Right to Know (SB258)
Ingredient disclosure:
2-methoxy-4-prop-2-enylphenol
(2E)-3,7-dimethylocta-2,6-dien-1-ol
chromen-2-one
3,7-dimethyloct-6-en-1-ol
5-chloro-2-methyl-1,2-thiazol-3-one
1,4-dioxane
Oxirane
2-libis(carboxymethyl)amino]acetic acid

Odlane
2-[bis(carboxymethyl)amino]acetic acid
For more ingredient information visit:
https://us.pestwest.com/bio-gel-cleaning-products/dumsterguard/
Toll free: 866.476.7378



| PRODUCT | PRODUCT CODE | NET UNIT | SHIPPING WEIGHT |
|----------------------------|--------------|--------------|--------------------|
| Dumpster Guard gallon | 620-000009 | 1 Gal - 4/CS | 36 lb |
| Dumpster Guard 5 gal pail | 620-000007 | Each | 45 lb |
| Dumpster Guard 55 gal drum | 620-000008 | Each | 490 lb |







Advanced floor cleaner and mop water additive

• Advanced surfactants blended with superior microbial technology makes this the preferred product for restaurants, hospitality, institutional, and industrial applications.

ADDITIVE

- Simply add it to the mop water bucket and it goes to work.
- · Keeps mop heads fresher for longer.
- · Cleans organic debris build-ups that cause foul odors.
- · Quick-dry, non-slippery formulation.
- Available in 128 oz. (gallon), 5 gallon pail, and 55 gallon drum.

Bio-Gel[®] **Pro Kleen**

Biodegradable Non-toxic Non-pathogenic Non-caustic

Non-corrosive

California Cleaning Product Right to Know (SB258) Ingredient disclosure: Ethanal Sodium;4-dodecan-3-ylbenzenesulfonate1,4-dioxane 5-chloro-2-methyl-1,2-thiazol-3-one (2E)-3,7-dimethylocta-2,6-dienal 2-methyloxirane 1,4-dioxane Oxirane Oxirane For more ingredient information visit: https://us.pestwest.com/bio-gel-cleaning-products/ bio-gel-pro-kleen/ Toll free: 866.476.7378



| PRODUCT | PRODUCT CODE | NET UNIT | SHIPPING WEIGHT |
|------------------------------|--------------|--------------|--------------------|
| Bio-Gel PRO KLEEN gallon | 620-000005 | 1 Gal - 4/CS | 37 lb |
| Bio-Gel PRO KLEEN 5 gal pail | 620-000006 | Each | 45 lb |



An east-to-use organic waste reduction system

- An easy-to-use system to reduce organic wastes in barns, coops, stalls, manure piles, houses, kennels, cages, litter bedding, sewer drains, municipalities, towns, cities, and waste water treatment plants (land and cruise ship based).
- Reduces foul odors from lagoons and retention ponds.
- Bacillus and Pseudomonas bacterial blends to digest resistant biomasses.
- Bacteria possess exceptional lipase, protease, amylase, cellase, urease, pectinase, and chitinase enzyme production.
- Digestion and reduction of fats, carbohydrates, proteins, celluloses, and starches.
- Formulated on a food-base to jump start the binary fission process.
- Available in 15 lb Bulk (**Blue lid**) and 30-8 oz. water soluble throw packs (**Green lid**).

Bio-Gel® MICROBLEND G

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive California Cleaning Product Right to Know (SB258) For more ingredient information visit: https://us.pestwest.com/bio-gel-cleaningproducts/bio-gel-microblend-g/ Toll free: 866.476.7378



| PRODUCT | PRODUCT CODE | NET UNIT | SHIPPII WEIGH |
|--------------|---|----------|------------------|
| MICROBLEND G | 620-000019 (30-8oz BAC-PAC's – Green lid) | Each | 15 lb |
| MICROBLEND G | 620-000018 (15 lb Bulk – Blue lid) | Each | 15 lb |







An odor neutralizer with an environmentally friendly formula

- Tea tree scent or neutral unscented (not a masking agent-actually binds to malodor molecules).
- Neutralizes stubborn malodors from cooking, cigarette smoke, fish, spoiled foods, ammonia, garbage, dead animals, urine, feces, and even skunks.
- · Safe for humans and pets.
- Environmentally friendly.
- Super concentrated formula.
- Suitable for ULV application.
- An ANYWAY spray trigger (sprays at all angles) is included with 32 oz. (quarts).
- Available in 32 oz. (quarts) and 128 oz. (gallon).

Scent Savor[™]

Area of use: Hotels, motels, day care facilities, nursing homes, hospitals, restrooms, homes, apartments, theaters, livestock pens, rendering plants, forensic scenes, vehicles, landfills, food processing, waste water treatment, basements, crawlspaces, attics, kennels, shelters, solid waste transfer stations, septic systems, portable toilets, cruise ships, non-food areas of food processing plants, garbage areas, and many other sites.



Made in the U.S.A.

California Cleaning Product
Right to Know (SB258)
Ingredient disclosure:
Ethanal
5-chloro-2-methyl-1,2-thiazol-3-one
2-[bis(carboxymethyl)amino]acetic acid
1,4-dioxane
Oxirane
2-methyloxirane
For more ingredient information visit:

2-methyloxirane
For more ingredient information visit:
https://us.pestwest.com/bio-gel-cleaning-products/scent-savor/
Toll free: 866.476.7378

| PRODUCT | PRODUCT CODE | NET UNIT | SHIPPING WEIGHT |
|--|--------------|--------------|--------------------|
| SCENT SAVOR Quart (Tea tree scent) | 610-000125 | 12/Case | 25 lb |
| SCENT SAVOR Quart (Neutral unscented) | 610-000136 | 12/Case | 25 lb |
| SCENT SAVOR Gallon (Tea tree scent) | 610-000124 | 1 Gal - 4/CS | 34 lb |
| SCENT SAVOR Gallon (Neutral unscented) | 610-000137 | 1 Gal - 4/CS | 34 lb |





Effectively eliminates stains from urine, feces, and blood as well as malodors from cats, dogs and many other animals

- Bacterially-based formula produces enzymes when in contact with pet messes.
- · Reduces urine, feces, and blood.
- Binds to malodor molecules to provide a pleasing fresh scent (not a masking agent).
- · Works on pet bedding, carpets, in vehicles, in public toilets, in and around hospitals, veterinary clinics, assisted living facilities, and many other locations.



Made in the U.S.A.

- Great as a value add-on.
- Targeted urine, feces, odor destroyer.
- Tough on strong dog urine and the yellow, sticky residue.
- Freshens with a light, fresh pleasing scent.
- Safe to use on carpets, hard floors, furniture, fabrics and more.
- Flip top and ready to use container.
- Test in an inconspicuous area prior to broad use.

California Cleaning Product
Right to Know (SB258)
Ingredient disclosure:
Benzoic acid, 2-hydroxy-,phenylmethyl ester
1,6-Octadien-3-ol, 3,7-dimethyl
2-Benzylideneoctanal
3,7-dimethyloct-6-en-1-ol
(2E)-3,7-dimethyloct-4-2,6-dien-1-ol
2-(4-tert-Butylbenzyl) propionaldehyde
Benzyl alcohol Benzyl alcohol 5-chloro-2-methyl-1,2-thiazol-3-one 2-[bis(carboxymethyl)amino]acetic acid 1.4-dioxane 1,4-dioxarie
Oxirane
Oxirane
For more ingredient information visit:
https://us.pestwest.com/bio-gel-cleaning-products/piddle-pal/
Toll free: 866.476.7378

PRODUCT PRODUCT CODE

Piddle Pal quart 620-000011 **NET UNIT SHIPPING WEIGHT**

12/CS 28 lb



Integrated pest management is a programmatic approach, which embraces a cyclical process of inspection, assessment, and control

INSPECT

Inspect for conducive conditions that sustain pest populations and the subtle evidences of pest activity.



ASSESS

Assess for pest identifications and tolerance levels.



CONTROL

Control pests through behavioral, physical, mechanical, bio-rational, and chemical methods, while monitoring control methods to evaluate effectiveness.





The CSI Kit uses a specialty blue light in conjunction with orange goggles to contrast proteins from bed bugs, blood, feces, caste skins and eggs

- Reduce your inspection time by hours, use blue-light with orange goggles to visualize latent signs and other physical infestation evidence.
- The 455 nm LED flashlight is contructed with aerospace-grade aluminum and a tempered Pyrex Lens with Mil-Spec Type III hardanodizing (shock-tested with a 10' drop test).
- · Rechargeable battery.
- Bed Bug life cycle disc contains actual eggs, nymphs, and both female and male adults (view at a glance for a real example of the bed bug life cycle).

Cut your inspection time by hours! Use the CSI Kit to inspect for subtle evidences of insects, rodents, and urban wildlife pests.

Contrasting Specimen Inspection (CSI) Kit Professional Bed Bug and Pest Detection

Kit includes:

One (1) blue high intensity rechargeable flashlight One (1) pair of orange filter premium goggles

One (1) pair of needle nose forceps

Three (3) specimen 4x magnifiers

Live hinge carrying case

One (1) Bed Bug specimen life cycle ID disc

Replacement components are readily available.

| PRODUCT | PRODUCT CODE | Qty/Case | SHIPPING WEIGHT |
|-------------------------------------|--------------|----------|--------------------|
| CSI Kit | 110-000333 | Each | 4 lb |
| Replacement flash light and charger | 820-000051 | Each | 2 lb |
| Replacement goggles | 823-000100 | Each | 1 lb |
| Replacement bed bug ID | 340-000081 | Each | 1 lb |
| Replacement battery 2200mhA | 820-000047 | Each | 1 lb |







Fluorescent lamps stop producing UV light long before their blue visible light declines

The PestWest UV-A Meter is easy-to-use, enabling you to monitor the condition and quality of fluorescent UVA lamps within any ILT system.

- The pocket size UV-A Meter is the perfect tool, measuring ambient light first, then accurately measuring the UVA directly from your system.
- · Who knows when inherited fluorescent ILT lamps were last changed.
- Great for new accounts that have existing systems (who knows when the lamps were changed last?) and monitoring systems throughout the year.
- Depending upon environment of operation, fluorescent lamps require annual replacement.

PRODUCT

PRODUCT CODE

NET UNIT SHIPPING WEIGHT

UV-A Meter

UVAMETMK11/325-000038

Each

1 lb







AF DEMI DIAMOND® & PHEROMONES

Cost effective walk-by monitoring systems for Fruit Fly, Indian Meal Moth or Webbing Clothes Moth.

- · Cost effective, reusable, and cleanable stations.
- Walk-by-inspection placement sites.
- Three combo packs are ready-to-use (Fruit fly, IMM pheromone, and WCM pheromone).
- · Plodia and Esphestia glue boards provide slow release pheromone technology.
- 30 ml reservoir for target pest lures.
- Add pheromone glue boards to PestWest ILT glue boards to enhance attraction, capture, and montoring.
- Glue board contrast colorations provide easy ID.
- Moth glue boards feature a grid pattern to assist in trends analyses.
- · Ideal for food processing plants, warehouses, hospitals, clinics, supermarkets, pet stores, restaurants, delis, convenience stores, schools, residential homes, and many others.







Webbing Clothes Moth

Indian Meal Moth

| PRODUCT | PRODUCT CODE | DD STATIONS/GB LURES | SHIPPING WEIGHT |
|---|-------------------|--------------------------------|--------------------|
| AF Demi-Diamond® Fruit fly Combo Pack | DD000/ 110-000237 | 10/50 | 1lb |
| AF Demi-Diamond* IMM Combo Pack | 110-000575 | 10/20 | 1lb |
| AF Demi-Diamond® WCM Combo Pack | 110-000574 | 10/20 | 1lb |
| AF Demi-Diamond* Fruit Fly Glue Boards | DD100 | 2 x 50 packs / 100 per box | 1lb |
| Stored Product Pest Lure (Indian Meal Moth) | DD200 | 10 x 10 packs / 100 per box | 1lb |
| Tineola/Webbing Clothes Moth Lure | 110-000167 | 10 x 10 packs / 100 per box | 1lb |
| AF Demi-Diamond® Bulk Stations Only (CLEAR) | 110-000168 | 50 per box | 1lb |
| AF Demi-Diamond® Bulk Stations Only (BLUE) | 110-000151 | 50 per box | 1lb |
| Cluster Fly Lure | 110-000606 | 10/pack | 1lb |







Cluster Fly Lure

A pure synomone attractant absorbed on a paper coaster sealed within a peelable pouch provides easy placement within most passive or pitfall monitoring traps. With Cluster Fly Lure, convert a passive trap to a very active trap, or add to any insect light trap.

Asian Lady Bettle Lure

A powerful calling-behavior pheromone attractant absorbed on a paper coaster sealed within a peelable pouch provides easy placement within most passive or pitfall monitoring traps. With Asian Lady Beetle Lure, convert a passive trap to a very active trap, or add to any insect light trap.

PRODUCT

Cluster Fly Lure

PRODUCT CODE

110-000606

NET UNIT

SHIPPING WEIGHT

Each - 10 x discs

PRODUCT

PRODUCT CODE

NET UNIT

SHIPPING WEIGHT

Asian Lady Beetle Lure 110-000618

Each - 10 x discs

2 lb





| PRODUCT | PRODUCT CODE | BRIEF DESCRIPTION | NET UNIT | SHIPPING WEIGHT |
|--|--------------|---|---------------|-----------------|
| Discretion cover for the Mantis® 1x2 - Stainless steel | 802-000281 | Conceals catch on 1x2 Stainless Steel | Each | 2lb |
| Discretion cover for the Mantis® 1x2 - White | 802-000274 | Conceals catch on 1x2 White | Each | 2lb |
| Discretion cover for the Mantis [®] 1x2 - Black | 802-000503 | Conceals catch on 1x2 Max 50 | Each | 2lb |
| Discretion cover for the Mantis* 1x2 - Gray | 802-000425 | Conceals catch on 1x2 Max 50 | Each | 2lb |
| Chrome stand | 822-000035 | Portable chrome stand | Each | 2lb |
| Gray bottom tray for the Mantis Max 50 | 822-000028 | Complete w/spring clip | Each | 1lb |
| Stainless steel tray for the Mantis 1x2 | 822-000029 | Complete w/spring clip | Each | 1lb |
| White bottom tray for the Mantis 1x2 | 822-000023 | Complete w/spring clip | Each | 1lb |
| White bottom tray for the Mantis 2x2 | 822-000032 | Complete w/spring clip | Each | 1.5lb |
| Mantis* front guard - chrome (1x2 & MAX50) | 802-000261 | Chrome front guard for Mantis | Each | 1lb |
| Mantis* front guard - stainless steel (1x2 SS) | 802-000263 | S.S. (inhibits rust) front guard for Mantis | Each | 1lb |
| Mantis® Lamp holder SET | 820-000055 | One set per lamp/tube | 1 set = 3 pcs | 1lb |
| Series starter S22 | 800-000292 | starters series 22 watt for Mantis systems | Each | 1lb |
| Spring clip for all Mantis® bottom trays | 821-000213 | One spring clip per tray | Each | 1lb |
| Stainless Steel Bubble Cover for the Sundew | 802-000272 | Replacement front cover | Each | 1lb |
| T12 (1 1/2") x 24" Aluminum lamp reflecktobakt* | 802-000353 | Prolongs glue board life | Each | 1.5oz |
| T8 (1") x 18" Aluminum lamp reflecktobakt* | 802-000355 | Prolongs glue board life | Each | 1lb |
| T5 (5/8") x 21 Aluminum lamp reflecktobakt* | 802-000354 | Prolongs glue board life | Each | 1lb |
| White mounting bracket - Mantis* 1x2 | 802-000206 | Mounts the 1x2 to the wall | Each | 1lb |
| CSI Kit Bed bug ID | 340-000081 | Bed bug life cycle specimen Disc | Each | 1lb |
| CSI Kit Flash light and charger | 820-000051 | CSI Kit replacement | Each | 2lb |
| CSI Kit Goggles | 823-000100 | CSI Kit replacement | Each | 1lb |
| CSI Kit Battery (2200mhA) | 820-000047 | CSI Kit replacement | Each | 1lb |
| Free standing kit for Mantis* 2x2 | 822-000043 | Add-on kit for Mantis* 2x2 | Each | 3lb |







ALL PESTWEST FLYING INSECT SYSTEMS INCLUDE A 3-YEAR WARRANTY (EXCLUDES LAMPS AND GLUE BOARDS).



SCAN THE QR CODE TO REGISTER YOUR 3-YEAR WARRANTY OR VISIT HTTPS://SUPPORT.PESTWEST.COM/PESTWEST-WARRANTY/







